Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	18	frame with tfi with tti	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:04
L4	0	frame with tfi with tti with chanel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:04
L5	5	frame with tfi with tti with channel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:09
L7	2	frame with tfi with tti with channel with length	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:10
L8	6	frame same tfi same tti same channel same length	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:11
L9	1	(frame same tfi same tti same channel same length).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:12
L10	1	(frame AND tfi and tti and channel and length).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:11
L11	141	(frame AND tfi and tti and channel and length)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:11

		<u> </u>			1	
L12	6	(frame same tfi same tti same channel same length)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:12
L13	10	(frame with length with channel and tfi same tti)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:12
L14	1	"10/037836"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:22
L15	14805	TFI	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:22
L16	6	TFI and cdma and discriminat\$4 and decision	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:22
L17	11	TFI and cdma and discriminat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:22
L18	137	TFI and cdma	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:22
L19	49	TFI with error	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:22

L20	2	TFI with discrimination	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:22
L21	13	TFI same discrimination	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:22
L22	27	TFI same decision	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:22
L23	0	("2003/0193913").URPN.	USPAT	OR	ON	2006/05/03 09:22
L24	84	UMTS with receiver	USPAT	OR	ON	2006/05/03 09:22
L25	1	UMTS with receiver and TFI	USPAT	OR	ON	2006/05/03 09:22
L26	261	phase with detector with coarse with fine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:22
L27	193	(phase adj detector) with coarse with fine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:22
L28	31	(charge adj pump) with coarse with fine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:22
L29	3	L27 and L28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:22

L30	31	(charge adj pump) with coarse with fine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:22
L31	0	"10/051222"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:22
L32	4	TFI and umts and discriminat\$4 and decision	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:22
L33	13	TFI with umts	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:22
L34	55	TFI same umts	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:22
L35	3	TFI same demultiplexing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:22
L36	22	TFI and demultiplexing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:22
L37	2883	375/130	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:22

L38	553	375/136	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:22
L39	2803	375/260	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:22
L40	3502	375/316	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:22
L41	1679	Transport adj Format	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:22
L42	52	(Transport adj Format) with correcti\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:22
L43	181631	frame with length	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:22
L44	8	L42 and L43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:22
L45	32	L41 and L37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:22

			T	T	T	1 7
L46	0	L42 and L37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:22
L47	0	L42 and L38	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:22
L48	0	L42 and L39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:22
L49	0	L42 and L40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:22
L50	96	(Transport adj Format) same correcti\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:22
L51	0	L50 and L37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/05/03 09:22
L52	0	L50 and L38	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:22
L53	0	L50 and L39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:22

L54	2	L50 and L40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:22
L55	5	L41 and L38	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:22
L56	12	L41 and L39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:22
L57	19	L41 and L40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:22

drjatorres@gmail.com | Search History | My Account | Sign out

Groups **Froogle Images** Maps more » Advanced Search "frame-data length" channel tfi tti Search **Preferences**

Results 1 - 6 of 6 for "frame-data length" channel tfi tti. (0.75 seconds)

Tip: Try removing quotes from your search to get more results.

Communication system, transceiver apparatus and transceiving ...

... the data of each logical channel every TTI based upon the decided TFI of ... {circle over (4)} identifies the frame data length on each channel based ... www.freshpatents.com/ Communication-system-transceiver-apparatus-and-transceiving-

method-dt20050721ptan200...

Communication system, transceiver apparatus and transceiving ...

... {circle over (4)} identifies the frame data length on each channel based upon the ... Since the transmit bit length per TTI of TFI=4 is n.times.8, ... www.freshpatents.com/ Communication-system-transceiver-apparatus-and-transceivingmethod-dt20050721ptan200...

EP1286489

However, since a transport channel (TrCH) whose Transmission time interval (TTI) is 10 ms does not have TFI information of other frames in its Transmission ... swpat.ffii.org/pikta/txt/ep/1286/489/

esp@cenet document view

... transport channel (TrCH) at a prescribed transmission time interval (TTI), ... (TFI) in this transmission time interval (TTI) by majority decision or, ... v3.espacenet.com/textdoc?& DB=EPODOC&IDX=EP1286489

美国专利申请公开说明书20030035467 - Transceiver apparatus and ...

... TFCI information that specifies the frame data length of each TrCH. ... format (TFI) in this transmission time interval (TTI) by majority decision, etc. ... cxp.paterra.com/uspregrant20030035467cn.html

ABSTRACT -> The invention relates to a radio receiver that ...

The meta data assign a generic term to a sub-section of The audio channel of The source set of video signals, a class description to one or more sub-units ... gauss.ffii.org:8080/~zqex/ebd_data/0520

> Search "frame-data length" channel tfi tti

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google

drjatorres@gmail.com | Search History | My Account | Sign out

Google

"frame length" channel tfi tti

News Froogle Maps more »

Search Ado

Advanced Search Preferences

Web

Results 1 - 10 of about 159 for "frame length" channel tfi tti. (0.63 seconds)

грет Training

File Format: Microsoft Powerpoint - <u>View as HTML</u>
TBS during a **TTI** on a given transport **channel** (TrCH) ... Each transport **channel** is accompanied by a **TFI** at each time event at which data is expected to ... pal.ece.iisc.ernet.in/PAM/iisc-drdo-ac-talk3.ppt

[PDF] TSG-RAN Working Group 1 meeting No. 10 TSGR1-00-0163 January 18 ...

File Format: PDF/Adobe Acrobat - <u>View as HTML</u> single CPCH transport **channel** mapped to a PCPCH physical **channel** there is a one-to-one. correspondence between a CPCH **TFI** and the TFCI conveyed on PCPCH. ... www.3gpp.org/ftp/tsg_ran/WG1_RL1/ TSGR1_10/Docs/PDFs/R1-00-0163.pdf

[PDF] TSG-RAN Working Group 1 Meeting #17 TSG R1#17(00)1378 Stockholm ...

File Format: PDF/Adobe Acrobat - View as HTML

The concept of pointer **channel** proposed in [2] may also be flexible enough so. that the timing difference between the transmission of **TFI** and HS-DSCH can be ... www.3gpp.org/ftp/tsg_ran/WG1_RL1/ TSGR1_17/Docs/PDFs/R1-00-1378.pdf

[PDF] Microsoft PowerPoint - WCDMA 2005 L2.ppt

File Format: PDF/Adobe Acrobat - View as HTML

Physical layer combines the TFI information of the different ... Channel feedback. rate.

Fixed. 2ms TTI. (3 slots). Variable frame. size. 1.25,2.5, ... www.uwasa.fi/~riku/opetus/suunnittelu/WCDMA_2005_L2.pdf

[PDF] Microsoft PowerPoint - TLT206 WCDMA L4.ppt

File Format: PDF/Adobe Acrobat - View as HTML and to multiplex several services to one physical data channel. • Each transport channel is accompanied by the Transport. Format Indicator (TFI) ... www.uwasa.fi/~riku/opetus/wcdma/TLT206 WCDMA L4.pdf

[PDF] TS 25.425

File Format: PDF/Adobe Acrobat - View as HTML

... sublayer TB Transport Block TBS Transport Block Set **TFI** Transport Format ... The general structure of a Common Transport **Channel** frame consists ... Data **Frame Length** ...

www.soulinfo.com/~hugang/3gpp/specs/25425-030.pdf

United States Patent Application: 0050005196

[0005] in each FP frame, for each transport **channel**, the radio network controller (RNC) 1 0 receives a transport format indicator (**TFI**), which indicates the ... appft1.uspto.gov/.../ 20050005196&RS=DN/20050005196

[PDF] 3GPP TR 25.834

File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
Discussion on Physical **Channel** Parameters for 1.28 Mcps TDD. ... For low chip rate option, the **frame length** is 10ms and the 10ms frame is divided into 2 ... www.arib.or.jp/IMT-2000/ V310Sep02/S3g/Rel4/25/25834-410.pdf

[PDF] Features Applications Ordering Information Introduction

File Format: PDF/Adobe Acrobat - <u>View as HTML</u> ... Independent time-slot assignment for each **channel** • ISDN Oriented Mode (IOM) ... IOM mode: standard IOM interface with predefined **channel** positions ...

http://www.google.com/search?hl=en&lr=&rls=GGLD%2CGGLD%3A2004-30%2CGGLD%3Aen&... 5/3/06

www.pti-ic.com/ptipdf/datasheet/PT7A6527.pdf

[PDF] TS 125 303 - V6.2.0 - Universal Mobile Telecommunications System ... File Format: PDF/Adobe Acrobat RRC Connection Release from Dedicated Physical Channel Radio Bearer Establishment with Dedicated Physical Channel Activation. ... webapp.etsi.org/action/ PU/20050111/ts_125303v060200p.pdf

Goooooogle >

Result Page:

1 2 3 4 5 6 7 8

"frame length" channel tfi tti

Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google

"frame-data length" AND channel AND tfi AND tti results on scirus.com, for scientific informati... Page 1 of 1



About Us	Newsroom	Advisory Board	Submit Web Site	Help	Contact Us
	Basic Search		Adva	anced Search S	Search Preferences
			nannel AND tfi AND Web sources		Search s
Sorm	v vour coarch	has not produced	any recults. Pafave		
same • che not c	e or similar ke eck the selecte contain results	ywords, you may ed sources, inform matching your qu	ation types and su	_	
● spe ● wri	ite abbreviatio	_		erican spelli	ng
		er or more genera			

Powered by FAST © Elsevier 2006



About Us Newsroom Advisory Board Submit Web Site Contact Us Help **Basic Search** Advanced Search Search Preferences "frame length" AND channel AND tfi AND tti Search ✓ Journal sources ✓ Preferred Web sources ✓ Other Web sources ☐ Exact phrase Searched for:: :All of the words:"frame length" AND channel AND tfi AND tti Found:: :14 total | 0 journal results | 0 preferred web results | 14 other web results Sort by:: :relevance | date Save checked results Email checked results Export checked results Refine your search using these keywords 1. CRs on HSDPA-RP020058-table.doc [PDF-2MB] found in the results: Feb 2002 bearer ...Amplitude Modulation ARQ Automatic Repeat Request BER Bit Error Rate CCTrCH Coded Composite Transport Channel CPCH Common Packet fragmentation Channel DCA Dynamic channel allocation DCH Dedicated Channel DSmultiplexing CDMA Direct-Sequence Code Division Multiple Access DSCH Downlink... network layer more hits physical layer from [http://www.3gpp.org/ftp/tsg_ran/tsg_ran/TSGR_15/Docs/P...] similar results power control 2. 25303 CR table.doc [PDF-48K] radio link Jun 2000 radio network ...time data for an associated dedicated channel may arrive in Node B. All real-time applications **TFI**:s for DCH:s (e.g. 'TFI1')) are translated...the associated DPCH sequence number (dedicated physical channel). The DSCH data is transmitted separately on the PDSCH (physical downlink shared channel). TFCI(field2)TFI is used to subframe decode DSCH data, which is... transport network [http://www.3gpp.org/ftp/tsg_ran/TSG_RAN/TSGR_08/Docs/P...] Or refine using: similar results All of the words **3.** <u>cover R3-99d57_25425_v025.PDF</u> [PDF-27K] Oct 1999 ...Transport Block Set TFI Transport Format Indicator ToA Time of arrival Refine TTI Transmission Time Interval...4.1 Common Transport Channel Data Streams User Plane...Payload CRC (cont) Data Frame Length MAC-c SDU <u>www.Frames.com</u> Pad MAC-c...structure 6.2.2 FACH Channels FACH Iur data Find better frames of all stream...Payload CRC (cont) Data Frame Length DRNTI Pad MAC-c SDU... types. Free frames directory [http://www.3gpp.org/ftp/tsg_ran/WG3_Iu/TSGR3_08/Docs/P...] & more similar results Frame Length New & used Frame Length. 4. Draft minutes of RAN WG1# 19.PDF [PDF-186K] aff Check out the deals now! May 2001 CHANEL at MACY'S ...covers aspects of UE simultaneous physical channel combinations for Shop our selection of 1.28 Mcps TDD. Our answer...WG1 to see what would be feasible from CHANEL fragrances and cosmetics online. channel coding point of view having opinions from...they identified one problem regarding TTI alignment in relation to PCP. Ericsson... Sponsored links

5. Revised minutes of RAN WG1# 19.PDF [PDF-186K]

similar results

[http://www.3gpp.org/ftp/tsg_ran/WG1_RL1/TSGR1_20/Docs/...]

[http://www.3gpp.org/ftp/tsg_ran/tsg_ran/TSGR_15/Docs/P...]

similar results

Page 2 of 3

	12.	RP-000644-25933-040.doc	[PDF-122K]
--	-----	-------------------------	------------

Dec 2000

TR 25.933 V0.4.0 (2000-11) Technical Report 3rd Generation Partnership Project (3GPP); Technical Specification Group (TSG) RAN; IP Transport in UTRAN Work Task Technical Report UMTS <spec> 3GPP TR 25.933 V0.4. [http://www.3gpp.org/ftp/tsg_ran/TSG_RAN/TSGR_10/Docs/P...] similar results

13. RP-010145-25933-100.doc [PDF-195K]

Mar 2001

TR 25.933 V1.0.0 (2001-03) Technical Report 3rd Generation Partnership Project (3GPP); Technical Specification Group (TSG) RAN; IP Transport in UTRAN Work Task Technical Report UMTS <spec> 3GPP TR 25.933 V1.0. [http://www.3gpp.org/ftp/tsg_ran/TSG_RAN/TSGR_11/Docs/P...] similar results

14. RP-020136.doc [PDF-360K]

Mar 2002

TR 25.933 V1.7.1 (2002-01) Technical Report 3rd Generation Partnership Project (3GPP); Technical Specification Group (TSG) RAN; IP Transport in UTRAN Work Task Technical Report UMTS < spec> 3GPP TR 25.933 V1.7.1 (2002-01)TR 25.933 V1.7.1 (2002-01)TR 25.933 V1.7.10 (2002-01)TR 25.933 V1.7.

[http://www.3gpp.org/ftp/tsg_ran/tsg_ran/TSGR_15/Docs/P...] similar results

íasi ::

Downloads | Subscribe to News Updates | User Feedback | Advertising Tell A Friend | Terms Of Service | Privacy Policy | Legal

Powered by FAST © Elsevier 2006



Home | Login | Logout | Access Information | Alerts | Sitemap

Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPOF

Results for "((frame-data length<in>metadata) <and> (tfi<in>metadata))<and> (tti&l..."

☑e-mail 🚇 printer

Your search matched 0 documents.

» Search Options

View Session History

Modify Search

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

New Search

((frame-data length<in>metadata) <and> (tfi<in>metadata))<and> (tti<in>metada Search >

Check to search only within this results set

» Key

Display Format:

IEEE JNL

IEEE Journal or

Magazine

IEE JNL

IEE Journal or Magazine

IEEE CNF

IEE CNF

Proceeding

IEEE Conference

No results were found.

IEE Conference Proceeding

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revisin

IEEE STD IEEE Standard

Help Contact Us Privacy & Security

© Copyright 2006 IEEE - All Rights

indexed by ল্ল Inspec°



Home | Login | Logout | Access Information | Alerts | Sitemap

Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPOF

Results for "((frame length<in>metadata) <and> (tfi<in>metadata))<and> (tti<in&..." Your search matched 0 documents.

☑e-mail 🖶 printer

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

Modify Search

New Search

((frame length<in>metadata) <and> (tfi<in>metadata))<and> (tti<in>metadata)

Search >

Check to search only within this results set

» Key

Display Format: © Citation C Citation & Abstract

IEEE JNL

IEEE Journal or

Magazine

IEE JNL

IEE Journal or Magazine

IEE CNF

IEEE CNF

IEEE Conference

Proceeding

IEE Conference

Proceeding

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revisin

search.

IEEE STD IEEE Standard

Help Contact Us Privacy & Security

© Copyright 2006 IEEE - All Rights

indexed by inspec°



Home | Login | Logout | Access Information | Alerts | Sitemap

Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPOF

Results for "((frame<in>metadata) <and> (tfi<in>metadata))<and> (tti<in>meta..."

⊠e-mail 🖶 printer

Your search matched 0 documents.

» Search Options

View Session History

Modify Search

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

New Search

((frame<in>metadata) <and> (tfi<in>metadata))<and> (tti<in>metadata)

Search. 2

Check to search only within this results set

» Key

IEEE JNL

IEEE Journal or

Magazine

IEE JNL

IEE Journal or Magazine

IEEE CNF

IEEE Conference

Proceeding

IEE CNF

IEE Conference

Proceeding

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revisin

IEEE STD IEEE Standard

Help Contact Us Privacy & Security

© Copyright 2006 IEEE - All Rights

Indexed by ធ្មី Inspec